CHAPTER -7

REFERENCES

1. Katiyar C., Gupta A., Kanjilal S. and Katiyar S..2012. Drug Discovery from plant sources:Anintegrated approach.*Ayu*.33(1)p.10.

2. Anonymous, The Wealth of India, Raw Materials P.I.D., C.S.I.R., New Delhi. 1962, vol. 4,p.79.

3. Nandkarni, A.K., 1982. Indian Materia Medica Popular Prakashan Bombay Vol I&II(reprinted).

4. Begum P, Wang Y, Fugetsu B. Biologically active compounds from Leucaslavandulaefolia. International Journal of Pharmaceutical Sciences and Research. 2015 Mar1;6(3):1013.

5. . Chopra, R.N. and K.L. Handa, 1958. Indigenous Drugs of India. U.N. Dhur and Sons.Pvt.Ltd., Calcutta, pp: 606.

6. Girach, R.D., Aminuddin (1992) Some little known edible plants of Orissa. *J Econ TaxBot*,*16*(1), pp.61-68.

7. Makhija, I.K., Chandrashekar, K.S., Richard, L. and Jaykumar, B., 2011. Phytochemicaland Pharmacological profile of Leucas lavandulaefolia: A review. *Res. J. Med. Plant*, *5*(5),pp.500-507.

8..Shirazi,A.M., 1947.Studieson Leucasaspera.*Indian jpharm*, 9,pp.116-7.

9. Bhattacharya, S., 1995. Chiranjib Banoushudhi. Ananda Publishers Pvt. Ltd., Calcutta, pp:234-263.

10. Mukherjee, P.K., Saha, K., Perumal, P., Pal, S.K., Pal, M. and Saha, B.P., 1996.Preparation and Evaluation of Tincture of Leucas lavandulaefolia Rees (Fam. Labiatae) byCo-chemical and Thin Layer Chromatographic Characteristics. *Journal of scientific &industrialresearch*, *55*(4), pp.286-288.

11. Chandrashekar, K.S., Joshi, A.B., Satyarayanana, D. and Subramanyam, E.V., 2005.Flavonoid glycoside from Leucas lavandulaefolia. *Indian Journal of HeterocyclicChemistry*,*15*(2), pp.183-184.

12. Philomina NS, Rao JV. A toxic principle in the leaves of Leucas lavendulaefolia Rees andAchyranthes asperaL. Journalof EnvironmentalBiology. 2000Jul;21(3):223-6.

13. Chandrasekhar, K.S. and Prasanna, K.S., 2010. Hepatoprotective activity of

Leucaslavandulaefolia against carbon tetrachloride-induced hepatic damage in rats. *Int. J. Pharma Sci Res.* 2. pp. 101-103.

14. Kotoky J, Dasgupta B, Sarma GK. Protective properties of Leucas lavendulaefoliaextracts against d-galactosamine induced hepatotoxicity in rat. Fitoterapia. 2008 Jun1;79(4):290-2.

15. VermaS,ChauhanNS.Indigenousmedicinalplantsknowledgeof Kuniharforestdivision,district Solan.

16. Chandrashekar, K.S., Joshi, A.B., Satyarayanana, D. and Subramanyam, E.V., 2005.Flavonoid glycoside from Leucas lavandulaefolia. *Indian Journal of HeterocyclicChemistry*,*15*(2), pp.183-184.

17. Vijayan P, Raghu C, Ashok G, Dhanaraj SA, Suresh B. Antiviral activity of medicinalplantsof Nilgiris. Indian Journal of medicalresearch.2004 Jul 1:120:24-9

18. Mukherjee PK, Saha K, Murugesan T, Mandal SC, Pal M, Saha BP. Screening of anti-diarrhoeal profile of some plant extracts of a specific region of West Bengal, India. Journal ofethnopharmacology.1998 Feb 1;60(1):85-9.

19. Ramachandran VS. The tell-tale brain: A neuroscientist's quest for what makes us human.WWNorton & Company: 2012 Jan 23.